




STAR PORSELANO

"Beyond Borders, Beyond Limits."

200X1200 MM  
**WOODEN** STRIP

THE GREATEST GLORY  
IN LIVING LIFE STYLE IS


**Luxurious life**





## KNOW ABOUT US

---



AGRAP TO EACH  
AND EVERY MILLESTONE  
**of luxury**

---

WOODS OF ceramic is a great evolution in ceramic floorings that evoke wood, fusing warmth and naturalness. In this catalogue you will find a wide variety of woods, shades and finishes.

The investment in R&D allows us to be the latest not only in the production process, we also have the technology to decorate our pieces providing them with a better finish and a more realistic effect. A careful selection of the most characteristic woods and of greater aesthetic value make our product more differentiating.

we promote our ecological character by obtaining certificates that guarantee our effort. The objective is to preserve the present and the future. Efficient energy management, rational use of water and the minimization of emissions are some of our objectives. For this reason we have recently been granted to our product CERAMIC Tiles.



# DESIGN

## THE VISION OF CERAMIC

Ceramic, excellence is not a onetime effort, it's a custom to be followed on regular basis, and so we abide by all the necessary norms and deliver supreme quality resources. We will to continue doing so and attain success by being a market leader Apart from that, we also desire to be recognized as one of the most fruitful employers for our team, along with being a productive patron for our associates.

## THE CULTURE OF "MAKING CERAMICS"

### AUTHENTICITY-

We adhere to the idea of delivering best quality tiles and we are committed to this belief completely.

### TEAMWORK-

We believe that teamwork delivers the best work and we encourage team spirit in our working processes.

### INTEGRITY-

We serve our clients with supreme dedication and do not let our loyalty towards norms get affected at any cost.

### STABILITY-

To serve tiles of unbeatable quality, we make use of certified resources and technology.

### CUSTOMER SATISFACTION-

Customers and their satisfaction make the base of our working pyramid.



THEIR REPRESENT  
LOOKS MAKE LIFE  
AND NATURAL  
HARMONIZE IT



# ALPINE BROWN

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**ALPINE  
BROWN**



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



ALL THE LIVES WE  
EVER LIVED AND  
ALL THE LIVES TO  
BE FULL OF  
VERSATILE



# ALPINE GREY

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**ALPINE**  
GREY



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
VITRIFIED TILES



THIS LOOK  
REPRESENT  
THE TOUCH  
OF  
MELANCHOLY



# ALPINE LITE GREY

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**ALPINE LITE**  
GREY

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IF YOU  
CHOOSE TO  
BE NATURAL,  
THAT'S  
BEAUTIFUL



# ALPINE NATURAL

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**ALPINE**  
NATURAL

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



THIS TILE  
SHOWS  
THE  
TOUCH OF  
FORTUNE



# AMARA WOOD

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**AMARA**  
**WOOD**



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



ONE OF THE  
FAVOURITE  
TASTE FOR TILE  
AND IT IS BEST  
OF THE ONE



# BAYUR GINGER

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**BAYUR**  
GINGER



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



ALWAYS  
SHOWS US  
HOW  
BEAUTIFUL IT IS  
LET THINGS GO



# CLARA LIGHT BEIGE

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**CLARA LIGHT**  
BEIGE



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT GIVES THE  
LOOK OF  
PERENNIAL  
TEMPTATION



# CYPRESS

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

15 Random



THICKNESS  
**9 MM**

**CYPRESS**



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



EVERY TILE IS A  
PRECIOUS AND  
SUITED FOR  
EVERY  
ATMOSPHERE



# CYPRESS DARK

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

15 Random



THICKNESS  
**9 MM**

**CYPRESS**  
DARK

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT IS LOOK  
LIKE  
SIMPLE  
BUT IT IS  
CLASSY



# EGYPTION BROWN

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

9 Random



THICKNESS  
**9 MM**

**EGYPTION**  
BROWN

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



THE NATURAL  
WOOD MAKES IT  
WONDERFUL SPACE  
AND IT IS SUITED  
FOR EVERY CORNER



# EGYPTION GREY

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

9 Random



THICKNESS  
**9 MM**

**EGYPTION**  
GREY

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**





IT'S AN AUSPICIOUS  
STYLE OF WOOD  
TILE AND MAKES IT  
EXCLUSIVE  
CORNER.



# EGYPTION WOOD NATURAL

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

## EGYPTION WOOD NATURAL



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT IS ARCHITECT  
LUXURY LOOK  
AND  
SIGNIFICANT  
THINGS



# HEMLOCK WOOD

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**HEMLOCK**  
WOOD



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



THE MAGIC IN  
NEW BEGGININGS  
IS TRULY MOST  
POWERFUL TO  
ALL.



# MARMO BEIGE

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

11 Random



THICKNESS  
**9 MM**

**MARMO**  
BEIGE



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



A JOURNEY OF  
THOUSAND  
MILES BEGINS  
WITH A NEW  
STEP



# MARMO PINE

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

11 Random



THICKNESS  
**9 MM**

**MARMO**  
PINE

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



BRINGING  
BEAUTY, TO  
ALL YOUR  
SPACE



# MESSY BEIGE

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

4 Random



THICKNESS  
**9 MM**

**MESSY**  
BEIGE



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



A NEW LEVEL  
OF  
EVOLUTION  
WITH DIGNITY  
DESIGN



# MESSY NATURAL

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

4 Random



THICKNESS  
**9 MM**

**MESSY**  
NATURAL



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT MAKES  
LUXURIOUS  
LIFE WITH  
STANDARD  
ART



# PINE WOOD CEDAR

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**PINE WOOD**  
**CEDAR**



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



INCREDIBLE  
BEAUTY TO WOW  
ALL! AND BRINGS  
SIGNIFICANT  
LOOK




# PITCHPINE WOOD

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**PITCHPINE**  
WOOD



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



STANDARDS  
OF LUXURY, IT  
TAKES TO  
NEW LEVEL



# REPAL BROWN

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**REPAL**  
BROWN



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT IS UNIQUE,  
BUT  
SIMPLICITY  
BEATS  
COMPLEXITY




# REPAL NATURAL

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

3 Random



THICKNESS  
**9 MM**

**REPAL**  
NATURAL

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**





IT GIVES THE  
FEELING OF  
NATURAL  
AROMA



# ROTTEN BLACK

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

5 Random



THICKNESS  
**9 MM**

**ROTTEN  
BLACK**

200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



IT GIVES  
PERFECT  
LOOK WITH  
BEAUTY AND  
COMPLEXITY



# ROVER WOOD GREY

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

9 Random



THICKNESS  
**9 MM**

**ROVER WOOD**  
GREY



200X1200 MM  
**WOODEN STRIP**

DIGITAL GLAZED  
**VITRIFIED TILES**



LET THE TREND BE  
YOUR OWN STYLE  
AND WOODEN  
GIVES THE TOUCH  
OF NATURE



# SIMPOH BROWN

DIGITAL GLAZED  
VITRIFIED TILES

200X1200 MM

**WOODEN STRIP**



THICKNESS  
**9 MM**

7 Random



THICKNESS  
**9 MM**

**SIMPOH**  
**BROWN**




200X1200 MM  
**WOODEN STRIP**


DIGITAL GLAZED  
**VITRIFIED TILES**




## WOOD PLANK LAYING PATTERNS




Brick Pattern



Standard Block Pattern




Diagonal Block Pattern



Basketweave Pattern



Diagonal Basket Pattern




Square Basket Pattern




Single Herringbone Pattern



Double Herringbone Pattern




Diagonal Herringbone Pattern



Haddon Hall Pattern



Chevron Pattern



Monticello Pattern

## TECHNICAL SPECIFICATIONS

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

CHARACTERISTIC	TEST METHOD	REQUIREMENTS	OUR STANDARD
<b>DIMENSIONS &amp; SURFACE QUALITY</b>			
Deviation in Length & Width	ISO-10545-02	± 0.10%	Within Criteria
Deviation in Thickness	ISO-10545-02	± 5.00%	Within Criteria
Straightness of Sides	ISO-10545-02	± 0.10%	Within Criteria
Rectangularity	ISO-10545-02	± 0.10%	Within Criteria
Surface Flatness	ISO-10545-02	± 0.50%	Within Criteria
Surface Quality	ISO-10545-02	Min. 95% of the Tiles shall be free from visible defects that would impair the appearance of a major area of the Tiles	Within Criteria
<b>PHYSICAL PROPERTIES</b>			
Water Absorbption	ISO 10545-03	Average ≤ 0.08%, Individual 0.10% Max.	Within Criteria
Modulus of Rapture	ISO 10545-04	R ≥ 35 N/mm <sup>2</sup>	Compliant
Breaking Strength	ISO 10545-04	Min. 1300 N	Compliant
Moisture Expansion	IS 13630-3	0.02 Max	Compliant
Moh's Hardness	EN 101	Min. 5	Compliant
Surface Abrasion Resistance	ISO 10545-07	Class II Min.	Compliant
Linear Thermal Expansion	ISO 10545-08	Max. 6.0 x 10 <sup>-6</sup>	Compliant
Thermal Shock Resistance	ISO 10545-09	Min. 10 Cycles	Compliant
Crazing Resistance	ISO 10545-11	4 Cycles at 7.5 Bar Min.	Compliant
Impact Resistance	ISO 10545-05	0.55 Min.	Compliant
Frost Resistance	ISO 10545-12	Required	Compliant
Resistance to Deep Abrasion (Unglazed Tiles)	ISO 10545-06	175 Max.	Compliant
Bulk Density	IS 15622-2	2.20 g/cc	Compliant
<b>CHEMICAL PROPERTIES</b>			
Resistance to High & Low Concentrations of Acids & Alkalis	ISO 10545-13	As per Mfg.	No visible effect
Resistance to household chemicals & swimming pool Salts	ISO 10545-13	Min. GB	Compliant
Stain Resistance	ISO 10545-14	Min. Class 3	Compliant

### Packing Details (Per Box)

Dimension	Pcs.	Sq. Mtr.	Sq. Ft.
200x1200mm	5	1.20	12.92

Disclaimer: Product images shown in this Catalogue are for Design Representation. All efforts are made to show accurate colour of the product but actual product colour may differ from the printed image due to printing limitations. It is advised to see the product samples for actual colour reference. Shade variation is inherent characteristic of ceramic products. Hence different sizes and batches of same design may have variation in colours. Please follow the Tile Laying instructions printed on the box before installing the Tiles. Company may change the designs, colours, randomness or book-match without prior intimation. Due to continuous technology upgrade technical specification of the products may change without prior intimation.